Evenflow INTL



Revision: 1.00 US Issuing date: 02/01/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Evenflow INTL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance / Mixture : Specific use(s): Agrochemicals

1.3 Details of the supplier of the safety data sheet

Company : Aquatrols Corporation of America

1273 Imperial Way, Paulsboro, NJ 08066 Telephone number: 800-257-7797

1.4 Emergency telephone

USA: FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC (800-424-9300 within the United States or 703-527-3887 for International collect calls) or Solvay CAERS (Communication and Emergency Response System at 800-916-3232)

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture

HCS 2012 (29 CFR 1910.1200)

Serious eye damage, Category 1 H318: Causes serious eye damage.

2.2 Label elements

HCS 2012 (29 CFR 1910.1200)

Pictogram

Signal Word : Danger

Hazard Statements:

H318 Causes serious eye damage.



Evenflow INTL

Revision: 1.00 US Issuing date: 05/05/2015

Precautionary Statements:

Prevention

P280 Wear eye protection/ face protection.

Response

P310

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

2.3 Other hazards which do not result in classification

May cause skin irritation.

SECTION 3: Composition/information on ingredients

3.1 Substance

Not applicable, this product is a mixture.

3.2 Mixture

Chemical nature : Aqueous surfactant solution.

Hazardous Ingredients and Impurities

Chemical Name	CAS-No.	Concentration [%]
D-Glucopyranose, oligomeric, decyl octyl glycosides 685	3515-73-1	5 - 10

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Non Hazardous Ingredients and Impurities

Chemical Name	Identification number CAS-No.	Concentration [%]
Water	7732-18-5	< 85

Evenflow INTL

Revision: 1.00 US Issuing date: 05/05/2015

OAquatrols[®]

SECTION 4: First aid measures

4.1 Description of first-aid measures

If inhaled : Negligible or unlikely exposure pathways

If inhaled, remove to fresh air. Consult a physician if necessary.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists.

Wash contaminated clothing before re-use.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Seek medical advice.

Ingestion : Do not induce vomiting without medical advice.

If victim is conscious: Rinse mouth with water.

Keep at rest.

Do not leave the victim unattended. Vomiting may occur spontaneously

Risk of product entering the lungs on vomiting after ingestion.

Lay victim on side. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Skin contact may aggravate existing skin disease

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : All treatments should be based on observed signs and symptoms of distress

in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically.

There is no specific antidote available.

SECTION 5: Firefighting measures

Flash point : $> 200 \, ^{\circ}\text{F} \, (> 93 \, ^{\circ}\text{C})$

Pensky-Martens closed cup Flammability class: Will burn

Autoignition temperature : no data available

Flammability / Explosive limit : no data available

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

Dry chemical

Carbon dioxide (CO2)

Extinguishing media - large fires

Foam Water spray

Unsuitable extinguishing media : High volume water jet

(frothing possible)

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Under fire conditions:

Will burn

(following evaporation of water)

Hazardous decomposition products formed under fire conditions.

Carbon oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Firefighters should wear NIOSH/MSHA approved self-contained breathing

apparatus and full protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment

and emergency procedures

Use personal protective equipment.

For further information refer to section 8 "Exposure controls / personal

protection."

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Spills may be reportable to the National Response Center (800-424-8802) and

to state and/or local agencies

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

6.3 Methods and materials for containment and cleaning up

Recovery : Soak up with inert absorbent material.

Shovel or sweep up.

Keep in suitable, closed containers for disposal. Never return spills in original containers for re-use.

Decontamination / cleaning : Clean contaminated surface thoroughly.

Flush with plenty of water.

Recover the cleaning water for subsequent disposal.

Decontaminate tools, equipment and personal protective equipment in a

segregated area.

Disposal : Dispose of in accordance with local regulations.

Additional advice : Material can create slippery conditions.

6.4 Reference to other sections

Reference to other sections : 7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling and usage : Avoid inhalation of vapor or mist.

Avoid contact with skin and eyes.

Ethylene oxide may collect in container head space.

Provide adequate ventilation.

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

7.2 Conditions for safe storage, including any incompatibilities

Technical Measures for storage : Store at room temperature in the original container.

Storage conditions

Recommended : Stable under normal conditions.

Keep container tightly closed in a dry and well-ventilated place.

To be avoided : Keep away from open flames, hot surfaces and sources of ignition.

Keep away from incompatible materials to be indicated by the manufacturer

Incompatible products : Do not mix with incompatible materials (See list, section 10).

Packaging Measures

Packaging materials—Recommended : Plastic drum, Plastic materials.

Packaging materials—To be avoided : Uncoated metals

Storage stability

Storage temperature : 39 - 120 °F (4 - 49 °C)

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Control measures

Engineering measures : Where engineering controls are indicated by use conditions or a potential for

excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures:

Effective exhaust ventilation system

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

Personal protective equipment

Respiratory protection : When respirators are required, select NIOSH/MSHA approved equipment

based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

No personal respiratory protective equipment normally required.

Hand protection : Recommended preventive skin protection

Gloves

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

danger of cuts, abrasion, and the contact time.

Eye protection : Eye and face protection requirements will vary dependent upon work

environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended

for this material.

Eye contact should be prevented through the use of:

Safety glasses with side-shields

Safety goggles

Skin and body protection : Recommended preventive skin protection

Footwear protecting against chemicals

impervious clothing

Hygiene measures : Personal hygiene is an important work practice exposure control measure and

the following general measures should be taken when working with or

handling this materials:

1) Do not store, use, and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2) Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3) Wash exposed skin promptly to remove accidental splashes or contact with

material.

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation

location.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

Appearance : Physical state: liquid

Color: opaque brown

Odor : characteristic

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

Odor Threshold : no data available

pH : 5.0 - 7.0 (100 % (m/v))

Flash point : > 200 °F (> 93 °C) Pensky-Martens closed cup

Flammability class: Will burn

Evaporation rate (Butylacetate = 1) : < 1

Flammability (solid, gas) : no data available

Flammability (liquids) : no data available

Flammability / Explosive limit : no data available

Autoignition temperature : no data available

Vapor pressure : no data available

Vapor density : no data available

Density : Relative density : ca. 1 (77 °F (25 °C))

Solubility : Water solubility :

soluble

Partition coefficient: n-octanol/water : no data available

Thermal decomposition : no data available

Viscosity : Viscosity, dynamic : 20 mPa.s (77 °F (25 °C))

Explosive properties : no data available

Oxidizing properties : no data available

9.2 Other information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Chemical stability : Stable under recommended storage conditions.

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

10.3 Possibility of hazardous reactions

Polymerization : Hazardous polymerization does not occur.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

Strong acids

10.6 Hazardous decomposition products

Decomposition products : Carbon oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity : Not classified as harmful if swallowed

According to the data on the components

According to the classification criteria for mixtures.

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation

Skin irritation : Not classified as irritating to skin

According to the data on the components

According to the classification criteria for mixtures.

Serious eye damage/eye irritation

Eye irritation : Risk of serious damage to eyes.

According to the data on the components

According to the classification criteria for mixtures.

Respiratory or skin sensitization

Sensitization : no data available

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

Mutagenicity

Genotoxicity in vitro : no data available

Genotoxicity in vivo : no data available

Carcinogenicity

Carcinogenicity : no data available

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP IARC OSHA ACGIH

Toxicity for reproduction and development

Toxicity to reproduction / fertility : no data available

Developmental Toxicity/Teratogenicity : no data available

STOT

STOT-single exposure : no data available

STOT-repeated exposure : no data available

Aspiration toxicity

Aspiration toxicity : no data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Toxicity to aquatic plants

D-Glucopyranose, oligomeric, decyl : EC50 - 72 h : 27.22 mg/l - Desmodesmus subspicatus (green algae)

octyl glycosides Growth rate
Harmful to a

Harmful to algae. Unpublished reports

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

12.2 Persistence and degradability

Biodegradability

Biodegradability

D-Glucopyranose, oligomeric, decyl

octyl glycosides

Ready biodegradability study:

Method: OECD Test Guideline 301 F

100 % - 28 d

The substance fulfills the criteria for ultimate aerobic biodegradability and

ready biodegradability

Published data

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Environment assessment : Not classified due to lack of data.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

Prohibition : Should not be released into the environment.

Advice on Disposal : Chemical additions, processing or otherwise altering this material may make

the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different

from federal laws and regulations. Consult state and local regulations

regarding the proper disposal of this material. Dispose of in accordance with local regulations.

Waste Code : EPA

Hazardous Waste - NO

Advice on cleaning and disposal of packaging

Advice on Disposal : Rinse with an appropriate solvent.

Dispose of contents/container in accordance with local regulation.

Evenflow INTL

Revision: 1.00 US Issuing date: 05/05/2015



SECTION 14: Transport information

DOT

Not Regulated

TDG

Not Regulated

IMDG

Not Regulated

IATA

Not Regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Notification status

United States TSCA Inventory : y (positive listing)
On TSCA Inventory

Canadian Domestic Substances List (DSL) : y (positive listing)

All components of this product are on the

Canadian DSL.

Australia Inventory of Chemical Substances (AICS) : y (positive listing)

On the inventory, or in compliance with the

inventory

Japan. CSCL - Inventory of Existing and New Chemical Substances : y (positive listing)

Not in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) : y (positive listing)

On the inventory, or in compliance with the

inventory

China. Inventory of Existing Chemical Substances in China (IECSC) : y (positive listing)

On the inventory, or in compliance with the

inventory

15.2 Federal Regulations

Evenflow INTL





SARA 311/312 Hazards

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	yes
Chronic Health Hazard	no

SARA 313 : SARA 313: This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Sodium hydroxide (Na(OH))	1310-73-2	1000 lb
1,4-Dioxane	123-91-1	100 lb
Propylene Oxide	75-56-9	100 lb

SARA 304 Reportable Quantity

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

SARA 302 Reportable Quantity

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

15.3 State Regulations

California Prop 65 : WARNING: This product contains a chemical known in the State of California

to cause birth defects or other reproductive harm.

Ethylene Oxide

WARNING! This product contains a chemical known in the State of California

to cause cancer. 1,4-Dioxane Ethylene Oxide Propylene Oxide

No Significant Risk Levels (NSRLs) have been established for the following:

Ethylene Oxide

Value: 2 micrograms per day

Evenflow INTL



Revision: 1.00 US Issuing date: 05/05/2015

1.4-Dioxane

Value: 30 micrograms per day

SECTION 16: Other information

NFPA-Classification

Health : 2 moderate
Flammability : 1 slight
Instability or Reactivity : 0 minimal

HMIS-Classification

Health : 2 moderate
Flammability : 1 slight
Reactivity : 0 minimal

Further information

Date Prepared : 05/15/2014

Further information : Product classified under the US GHS format.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH : American Conference of Governmental Industrial Hygienists

OSHA : Occupational Safety and Health Administration
WHMIS : Workplace Hazardous Materials Information System

NTP : National Toxicology Program

IARC : International Agency for Research on Cancer

OEL : Acceptable Exposure Limit

NIOSH : National Institute for Occupational Safety and Health

NFPA : National Fire Protection Association

HMIS : Hazardous Materials Identification System (Paint & Coating)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.